



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

**MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES**  
(untabulated)

**ARGENTINA—Rosario.**—Month of April, 1911. Population 202,154. Total number of deaths from all causes 411, including diphtheria 13, scarlet fever 1, smallpox 28, tuberculosis 33, typhoid fever 22.

Month of May, 1911. Total number of deaths from all causes 415, including diphtheria 4, smallpox 47, tuberculosis 59, typhoid fever 16.

**DUTCH GUIANA—Paramaribo.**—Month of June, 1911. Population 37,475. Total number of deaths from all causes 99. No contagious diseases.

**FRANCE—Nice.**—Month of February, 1911. Population 168,185. Total number of deaths from all causes 368, including measles 33, tuberculosis 32, typhoid fever 5.

Month of March, 1911. Total number of deaths from all causes 302, including diphtheria 1, measles 7, scarlet fever 1, tuberculosis 44.

Month of April, 1911. Total number of deaths from all causes 262, including diphtheria 1, measles 4, tuberculosis 46.

Month of May, 1911. Total number of deaths from all causes 256, including measles 2, tuberculosis 43, typhoid fever 2.

**St. Etienne.**—Two weeks ended July 15, 1911. Population 150,000. Total number of deaths from all causes 102, including tuberculosis 14; typhoid fever, 1.

**GREAT BRITAIN.**—Week ended July 29, 1911.

**England and Wales.**—The deaths registered in 77 great towns correspond to an annual rate of 13.6 per 1,000 of the population, which is estimated at 16,157,797.

**Ireland.**—The deaths registered in 21 principal town districts correspond to an annual rate of 16.4 per 1,000 of the population, which is estimated at 1,149,495. The lowest rate was recorded at Portadown, viz, 4.4, and the highest at Newry, viz, 26.2 per 1,000.

**Scotland.**—The deaths registered in 8 principal towns correspond to an annual rate of 14.9 per 1,000 of the population, which is estimated at 1,710,291. The lowest rate was recorded at Aberdeen, viz, 9.9, and the highest at Greenock, viz, 22.2 per 1,000. The total number of deaths from all causes was 488, including diphtheria 6, measles 4, scarlet fever 4, typhoid fever 6.

**ITALY—Florence.**—Month of June, 1911. Population 242,403. Total number of deaths from all causes 359, including measles 10, tuberculosis 47, typhoid fever 4.

**Genoa.**—Two weeks ended July 31, 1911. Population 295,631. Total number of deaths from all causes 240, including tuberculosis 12, typhoid fever 2.

*Milan*.—Month of July, 1911. Population 900,000. Total number of deaths from all causes 170, including diphtheria 1, measles 5, scarlet fever 1, tuberculosis 135, typhoid fever 25.

*SPAIN—Almeria*.—Month of July, 1911. Population 50,910. Total number of deaths from all causes 148, including tuberculosis 9, typhoid fever 4.

*Barcelona*.—Period from July 26 to August 4, 1911. Population, 591,272. Total number of deaths from all causes 380, including diphtheria 1, measles 2, tuberculosis 28, typhoid fever 11.

*Cadiz*.—Month of June, 1911. Population 67,306. Total number of deaths from all causes 162, including tuberculosis 29, typhoid fever 4.

*TAHITI*.—Two weeks ended July 7, 1911. Population 4,000. Total number of deaths from all causes 3. No deaths from contagious diseases.

*TRANSVAAL—Bloemfontein*.—Month of June, 1911. Population 20,278. Total number of deaths from all causes not reported. The deaths include typhoid fever 1.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

*Surgeon General,*

*United States Public Health and Marine-Hospital Service.*